



**COLLECTION**

2022 / 2023




OUR MISSION

# LIVING FOR AND FROM WINTER SPORTS!

As a global sports company, our aspiration is to build sustainable, economically successful and fascinating product and brand worlds. To do this, we always draw on our long tradition and years of experience, and the drive and motivation of Marker employees worldwide. Our teams enthusiastically innovate every day to meet the needs of today's and tomorrow's customers, and to develop the best possible products for this wonderful sport we all live and love.


**We're firmly convinced that only sustainable business is right. It is our mission as a company to protect the world we live in and the people who work for us, and to contribute towards a more balanced relationship between humanity and the environment.**



## MARKER PLANET PROMISE

**We love our sport and we love the landscapes that allow us to ski. It is our corporate duty to protect the environment and act sustainably in it. We constantly strive to minimise the negative impact of our business on the environment. We have to.**

### A brief overview of our current activities & projects:



#### REDUCING ENERGY UTILIZING INTELLIGENT CONTROL SYSTEMS

By constantly optimising production, we have reduced the energy consumed per binding  
Figures 2019:  
**Power:** 0.699 kW/pair  
**Natural gas:** 0.089 m<sup>3</sup>/pair  
**Water:** 1.602 l/pair



#### REDESIGNING PACKAGING AND REDUCING PROTOTYPES

In 2020, we reduced our paper waste by 10 tons just by introducing new packaging projects.



#### 100% EUROPEAN RESOURCES

Transport within our supply chains results mainly from the distances between our German, Italian and regional suppliers, who make up the majority of our partners. Average transport distance per supplier 2019: 558 km



#### RECYCLING OF MATERIALS


(Cardboard boxes, packaging foils, adhesive tape, other plastic non-standard wooden pallets)



Scan for more information



# The New ISI "Intuitive Step In" Toe



**Wider step-in platform:**  
Enlarged contact area for boot sole when stepping in

**Rubber stop pad:**  
Boot tip is aligned/stopped when stepping in

**Easier step-in:**  
Toe piece "snaps/clicks into the boot" with a lot less force required



Overall much improved step-in comfort



Used in all Kingpin & Alpinist models



No performance losses



**NEW**

## KINGPIN M-WERKS 12

**Category** Touring Pin  
**Brake width** 75 - 100 mm, 100 - 125 mm  
**DIN range** 5.0 - 12.0  
**Rec. skier's weight** < 120 kg  
**Stand height** 21,5 mm  
**Toe system** ISI Toe  
**Heel** Carbon reinforced KINGPIN heel  
**Color** Black - Red  
**Weight/pc.\*** 655 g  
**Order No.** 7831W1CS (75 - 100 mm)  
 7831W1CW (100 - 125 mm)

\*With brake (75 - 100 mm)



**NEW**

## KINGPIN 13

**Category** Touring Pin  
**Brake width** 75 - 100 mm, 100 - 125 mm  
**DIN range** 6.0 - 13.0  
**Rec. skier's weight** < 120kg  
**Stand height** 21,5 mm  
**Toe system** ISI Toe  
**Heel** KINGPIN heel  
**Color** Black - Red  
**Weight/pc. \*** 715 g  
**Order No.** 7933W1MA (75 - 100 mm)  
 7933W1MB (100 - 125 mm)



**NEW**

## KINGPIN 10

**Category** Touring Pin  
**Brake width** 75 - 100 mm, 100 - 125 mm  
**DIN range** 5.0 - 10.0  
**Rec. skier's weight** 30 - 105 kg  
**Stand height** 21,5 mm  
**Toe system** ISI Toe  
**Heel** KINGPIN heel  
**Color** Black - Red  
**Weight/pc.\*** 695 g  
**Order No.** 7733W1MA (75 - 100 mm)  
 7733W1MB (100 - 125 mm)



**NEW**

## KINGPIN 13 DEMO

**Category** Touring Pin Rental  
**Brake width** 100 - 125 mm  
**DIN range** 6.0 - 13.0  
**Rec. skier's weight** <120 kg  
**Stand height** 28,5mm  
**Toe system** ISI Toe  
**Heel** KINGPIN heel  
**Color** Black - Red  
**Weight/pc.** 885 g  
**Order No.** 7934W1MB



**NEW**

## KINGPIN 10 DEMO

**Category** Touring Pin Rental  
**Brake width** 75 - 100 mm  
**DIN range** 5.0 - 10.0  
**Rec. skier's weight** 30 - 105 kg  
**Stand height** 28,5mm  
**Toe system** ISI Toe  
**Heel** KINGPIN heel  
**Color** Black - Red  
**Weight/pc.** 865 g  
**Order No.** 7734W1MA



# TOURING


## ABOVE THE CROWD



**NEW**

**MARKER ALPINIST 12**

**Category** Touring Pin  
**Brake width** 90mm premounted/ without brake  
**DIN range** 6.0 - 12.0  
**Rec. skier's weight** max. 110 kg  
**Toe system** ISI Toe  
**Heel** Alpinist Heel – hard U-bow  
**Color** Black  
**Weight/pc.** 270 g (w/o brake), 360 g (w/ brake)  
**Order No.** 7833W1MS (w/o brake)  
7832W1MS (90 mm pre-mounted)  
(105mm + 115mm brake option available as accessory)



**NEW**

**MARKER ALPINIST 10**

**Category** Touring Pin  
**Brake width** 90mm premounted/ without brake  
**DIN range** 4.0 - 10.0  
**Rec. skier's weight** max. 110 kg  
**Toe system** ISI Toe  
**Heel** Alpinist Heel – medium U-bow  
**Color** Black  
**Weight/pc.** 270 g (w/o brake), 360 g (w/ brake)  
**Order No.** 7733W1MS (w/o brake)  
7732W1MS (90 mm pre-mounted)  
(105mm + 115mm brake option available as accessory)



**NEW**

**MARKER ALPINIST 8**


**Category** Touring Pin  
**Brake width** 90mm premounted/ without brake  
**DIN range** 3.0 - 8.0  
**Rec. skier's weight** max. 110 kg  
**Toe system** ISI Toe  
**Heel** Alpinist Heel – soft U-bow  
**Color** Black (C1)  
Black - Purple (C2)  
**Weight/pc.** 270 g (w/o brake), 360 g (w/ brake)  
**Order No.** 7433W1MS (C1; w/o brake)  
7432W1MS (C1; 90 mm pre-mounted)  
7433W1MV (C2; w/o brake)  
7432W1MV (C2; 90 mm pre-mounted)  
(105mm + 115mm brake option available as accessory)



**NEW**

**MARKER ALPINIST 12 LONG TRAVEL**


**Category** Touring Pin  
**Brake width** 90, 105 mm (available as accessory)  
**DIN range** 6.0 - 12.0  
**Rec. skier's weight** max. 110 kg  
**Toe system** ISI Toe  
**Heel** Alpinist Heel – hard U-bow  
**Color** Black  
**Weight/pc.** 275 g  
**Order No.** 7834W1ML (w/o brake)



**NEW**

**MARKER ALPINIST 10 LONG TRAVEL**


**Category** Touring Pin  
**Brake width** 90, 105 mm (available as accessory)  
**DIN range** 4.0 - 10.0  
**Rec. skier's weight** max. 110 kg  
**Toe system** ISI Toe  
**Heel** Alpinist Heel – medium U-bow  
**Color** Black  
**Weight/pc.** 275 g  
**Order No.** 7734W1ML (w/o brake)



**NEW**

**MARKER ALPINIST DEMO 10**


**Category** Touring Pin Rental  
**Brake width** 90 mm (premounted)  
105 mm (premounted)  
**DIN range** 4.0 - 10.0  
**Rec. skier's weight** max. 110 kg  
**Toe system** ISI Toe  
**Heel** Alpinist Heel – medium U-bow  
**Color** Black  
**Weight/pc.** 535 g  
**Order No.** 7735W1MW (105 mm)  
7735W1MS (90 mm)



**NEW**

**MARKER ALPINIST DEMO 8**

**Category** Touring Pin Rental  
**Brake width** 90 mm (premounted)  
**DIN range** 3.0 - 8.0  
**Rec. skier's weight** max. 110 kg  
**Toe system** ISI Toe  
**Heel** Alpinist Heel – soft U-bow  
**Color** Black  
**Weight/pc.** 535 g  
**Order No.** 7435W1MS





New Generation of Frame Tour



New TP light 2 toe with Anti Ice Rail

New Hollow linkage 2 heel with improved step in



ROYAL FAMILY

2022/23



**NEW F12 TOUR EPF**

**Category** Touring frame  
**Size** S 265 - 325 mm  
 L 305 - 365 mm  
**Brake width** 100, 110 mm  
**DIN range** 4.0 - 12.0  
**Boot type** A / T / GW A  
**Rec. skier's weight** <120 kg  
**Stand height** 36 mm  
**Toe system** Triple Pivot Light 2  
**AFD Gliding Plate** Stainless steel  
**Heel** Hollow Linkage 2  
**Color** Black - Anthracite  
**Weight/pc.** 1180g  
**Order No.** S: 7816W1SE (110), 7816W1SS (100)  
 L: 7816W1LE (110), 7816W1LS (100)



**NEW F10 TOUR**

**Category** Touring frame  
**Size** S 265 - 325 mm  
 L 305 - 365 mm  
**Brake width** 90, 100 mm  
**DIN range** 3.0 - 10.0  
**Boot type** A / T / GW A  
**Rec. skier's weight** 30 - 105 kg  
**Stand height** 36 mm  
**Toe system** Triple Pivot Light 2  
**AFD Gliding Plate** Active AFD  
**Heel** Hollow Linkage 2  
**Color** Black - White  
**Weight/pc.** 1100 g  
**Order No.** S: 7716W1TC (90), 7716W1TS (100)  
 L: 7716W1TD (90), 7716W1TL (100)

**SOLE.ID BECOMES MULTINORM**



- > Height-adjustable gliding plate to be compatible with all boot soles on the market
- > Compatible with: Alpine (ISO 5355 A), Touring (ISO 9523) and GripWalk (ISO 23223 A) soles
- > Easy to adjust: Pozi screw at the front to adjust height of gliding plate



**DUKE PT 16**

**Category** Ride & Hike  
**Brake width** 100 mm  
 125 mm  
**DIN range** 6.0 - 16.0  
**Boot type** A / T / GW A  
**Rec. skier's weight** 60 + kg  
**Stand height** 24 mm  
**Toe system** Ride & Hike Toe  
**AFD Gliding Plate** Stainless steel  
**Heel** Inter Pivot 3  
**Color** Black - Gunmetal  
**Uphill weight /  
 Downhill weight** 1050 g /  
 1350 g  
**Order No.** 7650U1ES (100 mm)  
 7650U1EB (125 mm)



**JESTER 18 PRO ID**

**Category** Freeride  
**Brake width** 90 mm  
 110 mm  
 120 mm  
**DIN range** 8.0 - 18.0  
**Boot type** A / T / GW A  
**Rec. skier's weight** 60 + kg  
**Stand height** 24 mm  
**Toe system** Triple Pivot Elite 3  
**AFD Gliding Plate** Stainless steel  
**Heel** Inter Pivot 3  
**Color** Tan  
**Weight/pc.** 1080 g  
**Order No.** 7924W1JS (90 mm)  
 7924W1JV (110 mm)  
 7924W1JB (120 mm)




**DUKE PT 12**

**Category** Ride & Hike  
**Brake width** 100 mm  
 125 mm  
**DIN range** 4.0 - 12.0  
**Boot type** A / T / GW A  
**Rec. skier's weight** 30 - 110 kg  
**Stand height** 24 mm  
**Toe system** Ride & Hike Toe  
**AFD Gliding Plate** Stainless steel  
**Heel** Hollow Linkage 2  
**Color** Black - Red  
**Uphill weight /  
 Downhill weight** 850 g /  
 1150 g  
**Order No.** 7550U1ES (100 mm)  
 7550U1EB (125 mm)



**JESTER 16 ID**

**Category** Freeride  
**Brake width** 90 mm, 100 mm, 110 mm, 120 mm  
**DIN range** 6.0 - 16.0  
**Boot type** A / T / GW A  
**Rec. skier's weight** 60 + kg  
**Stand height** 24 mm  
**Toe system** Triple Pivot Elite 3  
**AFD Gliding Plate** Stainless steel  
**Heel** Inter Pivot 3  
**Color** Black - Gray  
**Weight/pc.** 1070 g  
**Order No.** 7624U1JA (90 mm)  
 7624U1JB (100 mm)  
 7624U1JC (110 mm)  
 7624U1JD (120 mm)



**BARON EPF 13**

**Category** Ride & Hike  
**Brake width** S 265 - 325  
 L 305 - 365  
**DIN range** 4.0 - 13.0  
**Boot type** A / T / GW A  
**Rec. skier's weight** <120 kg  
**Stand height** 36 mm  
**Toe system** Triple Pivot Elite 3  
**AFD Gliding Plate** Stainless steel  
**Heel** Inter Pivot 3  
**Color** Black  
**Weight /pc.** 1390 g  
**Order No.** S: 7516U1SA (110), 7516U1SS (100)  
 L: 7516U1LA (110), 7516U1LS (100)



**GRIFFON 13 ID**

**Category** Freeride  
**Brake width** 90 mm, 100 mm, 110 mm, 120 mm  
**DIN range** 4.0 - 13.0  
**Boot type** A / T / GW A  
**Rec. skier's weight** <120 kg  
**Stand height** 24 mm  
**Toe system** Triple Pivot Elite 3  
**AFD Gliding Plate** Stainless steel  
**Heel** Inter Pivot 3  
**Color** Black (C1), White (C2), Anthracite -  
 Black-red (C3), Tan (C4)  
**Weight/pc.** 1030 g  
**Order No.** 7524U1GA (C1 - 90 mm)  
 7524U1GB (C1 - 100 mm)  
 7524U1GC (C1 - 110 mm)  
 7524U1GD (C1 - 120 mm)  
 7524U1GE (C2 - 90 mm)  
 7524U1GF (C2 - 100 mm)  
 7524U1GP (C2 - 110 mm)  
 7524U1GR (C2 - 120 mm)  
 7524U1GG (C3 - 90 mm)  
 7524U1GH (C3 - 100 mm)  
 7524U1GJ (C3 - 110 mm)  
 7524W1GK (C4 - 90 mm)  
 7524W1GL (C4 - 100 mm)  
 7524W1GM (C4 - 110 mm)  
 7524W1GN (C4 - 120 mm)



**SQUIRE 11**

Category Freeride  
 Brake width 90 mm, 100 mm, 110 mm  
 DIN range 3.0 - 11.0  
 Boot type A / GW A  
 Rec. skier's weight 30 - 110 kg  
 Stand height 24 mm  
 Toe system Triple Pivot Light 2  
 AFD Gliding Plate Stainless steel  
 Heel Hollow Linkage 2  
 Color Orange-black (C1), Green-black (C2), White (C3), Black (C4)  
 Weight/pc. 820 g  
 Order No. 7424V1.MM (C1 - 110 mm)  
 7424V1.ML (C1 - 100 mm)  
 7424V1.MK (C1 - 90 mm)  
 7424V1.MJ (C2 - 110mm)  
 7424V1.MH (C2 - 100 mm)  
 7424V1.MG (C2 - 90 mm)  
 7424V1.MF (C3 - 110 mm)  
 7424V1.ME (C3 - 100 mm)  
 7424V1.MD (C3 - 90 mm)  
 7424V1.MC (C4 - 110 mm)  
 7424V1.MB (C4 - 100 mm)  
 7424V1.MA (C4 - 90 mm)



**SQUIRE 10**


Category Freeride  
 Brake width 85 mm, 100 mm  
 DIN range 3.0 - 10.0  
 Boot type A / GW A  
 Rec. skier's weight 30-105 kg  
 Stand height 20 mm  
 Toe system Triple Pivot Light 2  
 AFD Gliding Plate Stainless steel  
 Heel Compact heel  
 Color Black-Anthracite  
 Weight/pc. 815 g  
 Order No. 7224V1.MB (100 mm)  
 7224V1.MA (85 mm)



Boot Types  
 A = Alpine Adult sole; C = Alpine Children sole  
 GWA = GripWalk Adult sole; GWC = GripWalk Children sole; T = Touring Boots

## INFO SHEET

Provide the most important infos on the product for the Point of Sale



### NEW INFO SHEET

|            |               |
|------------|---------------|
| Griffon    | 198030.0 (EN) |
|            | 198030.1 (DE) |
|            | 198030.2 (FR) |
| Jester     | 198099.0 (EN) |
|            | 198099.1 (DE) |
|            | 198099.2 (FR) |
| Duke PT 16 | 198097.0 (EN) |
|            | 198097.1 (DE) |
|            | 198097.2 (FR) |
| Duke PT 12 | 198098.0 (EN) |
|            | 198098.1 (DE) |
|            | 198098.2 (FR) |
| Squire     | 198110.0 (EN) |
|            | 198110.1 (DE) |
|            | 198110.2 (FR) |
| Alpinist   | 198178.0 (EN) |
|            | 198178.1 (DE) |
|            | 198178.2 (FR) |
| Kingpin    | 198179.0 (EN) |
|            | 198179.1 (DE) |
|            | 198179.2 (FR) |



# RACE

2022/23



**XCOMP 24**

Category Race Competition  
 Brake width 85 mm  
 DIN range 12.0 - 24.0  
 Boot type A  
 Rec. skier's weight 60 + kg  
 Stand height 18 mm  
 Toe system Xcomp  
 AFD Gliding Plate Teflon  
 Heel TCX Competition  
 Color Black - Flo-red  
 Weight/pc. 1327 g  
 Order No. 7130U1MX



**XCOMP 18**

Category Race Competition  
 Brake width 85 mm  
 DIN range 8.0 - 18.0  
 Boot type A  
 Rec. skier's weight 60 + kg  
 Stand height 18 mm  
 Toe system Xcomp  
 AFD Gliding Plate Teflon  
 Heel TCX Competition  
 Color Black - Flo-red  
 Weight/pc. 1303 g  
 Order No. 7120U1MX



**XCOMP 16**

Category Race Commercial  
 Brake width 85 mm  
 DIN range 6.0 - 16.0  
 Boot type A  
 Rec. skier's weight 60 + kg  
 Stand height 18 mm  
 Toe system Xcomp  
 AFD Gliding Plate Stainless steel  
 Heel TCX  
 Color Black - Flo-Red  
 Weight/pc. 1199 g  
 Order No. 6920U1MS



**XCOMP 12**

Category Race Commercial  
 Brake width 85 mm  
 DIN range 4.0 - 12.0  
 Boot type A  
 Rec. skier's weight <120 kg  
 Stand height 18 mm  
 Toe system Xcomp  
 AFD Gliding Plate Stainless steel  
 Heel TCX  
 Color Black - Flo-Red  
 Weight/pc. 1168 g  
 Order No. 6820U1MS

Boot Types  
 A = Alpine Adult sole; C = Alpine Children sole  
 GWA = GripWalk Adult sole; GWC = GripWalk Children sole; T = Touring Boots





**RACE 10 TCX**

Category Race Commercial  
 Brake width 85 mm  
 DIN range 3.0 - 10.0  
 Boot type A  
 Rec. skier's weight 30 - 105 kg  
 Stand height 18 mm  
 Toe system 2linkage  
 AFD Gliding Plate Stainless steel  
 Heel TCX  
 Color Black - Flo-red  
 Weight/pc. 1083 g  
 Order No. 6520U1MT



**RACE 10**

Category Race Commercial  
 Brake width 85 mm  
 DIN range 3.0 - 10.0  
 Boot type A  
 Rec. skier's weight 30 - 105 kg  
 Stand height 20 mm  
 Toe system 2linkage  
 AFD Gliding Plate Stainless steel  
 Heel Compact 3  
 Color Black - Flo-red  
 Weight/pc. 833 g  
 Order No. 6520U1MS



**RACE JUNIOR 8**

Category Race Commercial  
 Brake width 85 mm  
 DIN range 2.0 - 8.0  
 Boot type C  
 Rec. skier's weight 25 - 100 kg  
 Stand height 20 mm  
 Toe system 2linkage  
 AFD Gliding Plate Stainless steel  
 Heel Compact 3  
 Color Black - Flo-red  
 Weight/pc. 833 g  
 Order No. 6320U1MS

→ Especially designed for junior boots

**WORLD CUP PC INTERFACE**



|                |                          |                          |
|----------------|--------------------------|--------------------------|
|                | WC PC Interface<br>10 mm | WC PC Interface<br>14 mm |
| Category       | Race                     | Race                     |
| Stand height   | 10 mm                    | 14 mm                    |
| Width / Length | 59 / 542 mm              | 59 / 542 mm              |
| Sole Length    | 260 - 362 mm             | 260 - 362 mm             |
| Color          | Black                    | Black                    |
| Weight/pc.     | 644 g                    | 709 g                    |
| Order No.      | 2020R1SS                 | 2022R1SS                 |



# GRIPWALK

2022/23

SCAN ME

**EXCELLENT GRIP FOR WALKING**

Pronounced rib profile

Non-slip material

Perfect grip

**ERGONOMIC SOLE**

Natural walking feeling

Rounded sole profile

Improved rolling properties

**INNOVATIVE GRIPWALK SYSTEM**

GripWalk binding compatible with both GripWalk soles (ISO 23223) and also with Alpine soles (ISO 5355)

No height adjustment required

Replaceable toe & heel pads

**ADULT BINDINGS**

|                           |                      |                   |                              |                           |
|---------------------------|----------------------|-------------------|------------------------------|---------------------------|
| Race Alpine Adult binding | All mountain binding | Multinorm binding | Race Alpine Children binding | Children / Junior binding |
|                           |                      |                   |                              |                           |
| <b>A</b>                  | <b>GRIPWALK + A</b>  | <b>MN + A</b>     | <b>C</b>                     | <b>GRIPWALK + CA</b>      |

**COMPATIBLE WITH**

|                                |   |  |                                   |   |
|--------------------------------|---|--|-----------------------------------|---|
| Alpine Adult sole (ISO 5355 A) | Alpine Adult sole (ISO 5355 A)<br>GripWalk Adult sole (ISO 23223 A) | Alpine Adult sole (ISO 5355 A)<br>GripWalk Adult sole (ISO 23223 A)<br>Touring Adult sole (ISO 9523) | Alpine Children sole (ISO 5355 C) | Alpine Adult sole (ISO 5355 A)<br>GripWalk Adult sole (ISO 23223 A)<br>Alpine Children sole (ISO 5355 C)<br>Grip Walk Children sole (ISO 23223 C) |
|--------------------------------|---|--|-----------------------------------|---|



# ALL MOUNTAIN

2022/23



**XCOMP 16 GW BLACK**

**Category** All Mountain Piste  
**Brake width** 90 mm  
**DIN range** 6.0 - 16.0  
**Boot type** A / GW A  
**Rec. skier's weight** 60 + kg  
**Stand height** 18 mm  
**Toe system** XComp  
**AFD Gliding Plate** Stainless steel  
**Heel** TCX  
**Color** Black  
**Weight/pc.** 1199 g  
**Order No.** 6920U1MB



**XCOMP 12 GW BLACK**

**Category** All Mountain Piste  
**Brake width** 90 mm  
**DIN range** 4.0 - 12.0  
**Boot type** A / GW A  
**Rec. skier's weight** <120 kg  
**Stand height** 18 mm  
**Toe system** XComp  
**AFD Gliding Plate** Stainless steel  
**Heel** TCX  
**Color** Black  
**Weight/pc.** 1168 g  
**Order No.** 6820U1MB



**12.0 TPX**

**Category** All Mountain  
**Brake width** 90 mm  
**DIN range** 4.0 - 12.0  
**Boot type** A / GW A  
**Rec. skier's weight** <120 kg  
**Stand height** 18 mm  
**Toe system** TPX  
**AFD Gliding Plate** Stainless steel  
**Heel** TCX light  
**Color** Black - Anthracite  
**Weight/pc.** 974 g  
**Order No.** 6820T1MA



**11.0 TP**

**Category** All Mountain  
**Brake width** 90 mm, 110 mm  
**DIN range** 3.0 - 11.0  
**Boot type** A / GW A  
**Rec. skier's weight** 30 - 110 kg  
**Stand height** 18 mm  
**Toe system** Triple Pivot Compact 2  
**AFD Gliding Plate** Stainless steel  
**Step-in heel** TCX Light  
**Color** Black - Anthracite (C1), White (C2)  
**Weight/pc.** 940 g  
**Order No.** 6720T1MA (C1 - 90 mm)  
 6720S1MB (C2 - 90 mm)  
 6720T1MC (C1 - 110 mm)  
 6720S1MD (C2 - 110 mm)



**10.0 TP**

**Category** All Mountain  
**Brake width** 85 mm  
**DIN range** 3.0 - 10.0  
**Boot type** A / GW A  
**Rec. skier's weight** 30 - 105 kg  
**Stand height** 20 mm  
**Toe system** Triple Pivot Compact 2  
**AFD Gliding Plate** Stainless steel  
**Step-in heel** Compact 3  
**Color** Black - Anthracite  
**Weight/pc.** 759 g  
**Order No.** 6520T1MA



**7.0**

**Category** All Mountain  
**Brake width** 70 mm  
**DIN range** 85 mm  
**DIN range** 2.0 - 7.0  
**Boot type** A / C / GW A / GW C  
**Rec. skier's weight** 24-75 kg  
**Stand height** 22 mm  
**Toe system** 4-linkage jr2  
**AFD Gliding Plate** Active AFD  
**Heel** Junior  
**Color** Black - Anthracite (C1), White (C2)  
**Weight/pc.** 575 g  
**Order No.** 6220T1MA (C1 - 70 mm)  
 6220T1MB (C2 - 70 mm)  
 6220U1MC (C1 - 85 mm)



**FREE 7**

**Category** All Mountain  
**Brake width** 95 mm  
**DIN range** 2.0 - 7.0  
**Boot type** A / C / GW A / GW C  
**Rec. skier's weight** 24-75 kg  
**Stand height** 22 mm  
**Toe system** 4-linkage jr2  
**AFD Gliding Plate** Active AFD  
**Heel** Junior  
**Color** Black (C1), White - Silver (C2)  
**Weight/pc.** 572 g  
**Order No.** 6224U1MS (C1)  
 6224U1MW (C2)



**4.5**

**Category** All Mountain  
**Brake width** 70 mm, 85 mm  
**DIN range** 0.75 - 4.5  
**Boot type** A / C / GW A / GW C  
**Rec. skier's weight** 12-57 kg  
**Stand height** 22 mm  
**Toe system** 4-linkage jr2  
**AFD Gliding Plate** Active AFD  
**Heel** Junior  
**Color** Black - Anthracite (C1)  
 White (C2)  
**Weight/pc.** 568 g  
**Order No.** 6120T1MA (C1 - 70 mm)  
 6120T1MB (C2 - 70 mm)  
 6120T1MC (C1 - 85 mm)



**FDT Q6 plate  
BULK (5 PAIR)**  
Order No. 2064W1MA



**FDT High Performance Plate  
BULK (5 PAIR)**  
Order No. 2064U1MP



**FDT Q6 Junior plate  
BULK (5 PAIR)**  
Order No.  
2075W1SS: Small 190 - 285 mm  
2075W1SL: Large 235 - 330 mm



**FDT TPX 12**

**Category** All Mountain Rental  
**Brake width** 90 mm, 110 mm  
**DIN range** 4.0 - 12.0  
**Boot type** A / GW A  
**Rec. skier's weight** < 120 kg  
**Stand height** 25 mm  
**Toe system** TPX  
**AFD Gliding Plate** Stainless steel  
**Step-in heel** TCX light  
**Color** Black - Anthracite  
**Weight /pc.** 1001 g  
**Weight /pc. System** 1270 g  
**Order No.** 6862U1MC ( 90mm without plate)  
 6862U1MW (110mm without plate)  
 6862U1MCS (90mm with plate)



**FDT TP 10**

**Category** All Mountain Rental  
**Brake width** 80 mm  
**DIN range** 3.0 - 10.0  
**Boot type** A / GW A  
**Rec. skier's weight** 30 - 105 kg  
**Stand height** 26 mm  
**Toe system** Triple Pivot compact 2  
**AFD Gliding Plate** Stainless steel  
**Step-in heel** Compact 3  
**Color** Black - Anthracite  
**Weight/pc.** 777 g  
**Weight /pc. System** 990 g  
**Order No.** 6562W1MCS (with plate)



**GRIFFON 13 D**

**Category** Freeride Rental  
**Brake width** 90 mm, 100 mm, 110 mm  
**DIN range** 4.0 - 13.0  
**Boot type** A / GW A  
**Rec. skier's weight** <120 kg  
**Stand height** 25 mm  
**Toe system** Triple Pivot Elite 3  
**AFD Gliding Plate** Stainless steel  
**Heel** Inter Pivot 3  
**Color** Black  
**Weight/pc.** 1390 g  
**Order No.** 7520U1GA (90 mm) (with plate)  
 7520U1GD (100 mm) (with plate)  
 7520U1GB (110 mm) (with plate)



|                            |  |  |
|----------------------------|--|--|
|                            | <b>FDT 7.0</b>                                   | <b>FDT 4.5</b>                                   |
| <b>Category</b>            | All Mountain Rental                              | All Mountain Rental                              |
| <b>Size</b>                | L 235 - 330                                      | S 190 - 285                                      |
| <b>Brake width</b>         | 70 mm, 85 mm                                     | 70 mm, 85 mm                                     |
| <b>DIN range</b>           | 2.0 - 7.0  | 0.75 - 4.5                                       |
| <b>Boot type</b>           | A / C / GW A / GW C                              | A / C / GW A / GW C                              |
| <b>Rec. skier's weight</b> | 24-75 kg   | 12-57 kg   |
| <b>Stand height</b>        | 24 mm  | 24 mm  |
| <b>Toe system</b>          | 4-linkage jr2                                    | 4-linkage jr2                                    |
| <b>AFD Gliding Plate</b>   | Active AFD                                       | Active AFD                                       |
| <b>Heel</b>                | Junior   | Junior   |
| <b>Color</b>               | Black - Anthracite                               | Black - Anthracite                               |
| <b>Weight/pc.</b>          | 550 g  | 546 g  |
| <b>Order No.</b>           | 6263W1MA (70 w/ plate)<br>6263W1MC (85 w/ plate) | 6163W1MA (70 w/ plate)<br>6163W1MC (85 w/ plate) |



**GRIFFON 13 TCX D**

**Category** Freeride Rental  
**Brake width** 90 mm, 100 mm, 110 mm  
**DIN range** 4.0 - 13.0  
**Boot type** A / GW A  
**Rec. skier's weight** <120 kg  
**Stand height** 25 mm  
**Toe system** Triple Pivot Elite 3  
**AFD Gliding Plate** Stainless steel  
**Heel** TCX  
**Color** Black  
**Weight/pc.** 1211 g  
**Order No.** 6862U1GA (90 mm) (with plate)  
 6862U1GD (100 mm) (with plate)  
 6862U1GB (110 mm) (with plate)



|                            |                     |                     |
|----------------------------|---------------------|---------------------|
|                            | <b>7.0 RTL</b>      | <b>4.5 RTL</b>      |
| <b>Category</b>            | All Mountain Rental | All Mountain Rental |
| <b>Brake width</b>         | 70 mm               | 70 mm               |
| <b>DIN range</b>           | 2.0 - 7.0           | 0.75 - 4.5          |
| <b>Boot type</b>           | A / C / GW A / GW C | A / C / GW A / GW C |
| <b>Rec. skier's weight</b> | 24-75 kg            | 12-57 kg            |
| <b>Stand height</b>        | 22 mm               | 22 mm               |
| <b>Toe system</b>          | 4-linkage jr2       | 4-linkage jr2       |
| <b>AFD Gliding Plate</b>   | Active AFD          | Active AFD          |
| <b>Heel</b>                | Junior              | Junior              |
| <b>Color</b>               | Black - Anthracite  | Black - Anthracite  |
| <b>Weight/pc.</b>          | 599 g               | 589 g               |
| <b>Order No.</b>           | 6220T1MR            | 6120T1MR            |



**SQUIRE 11 TCX D**

**Category** Freeride Rental  
**Brake width** 90 mm, 100 mm  
**DIN range** 3.0 - 11.0  
**Boot type** A / GW A  
**Rec. skier's weight** 30 - 110 kg  
**Stand height** 25 mm  
**Toe system** Triple Pivot Light 2  
**AFD Gliding Plate** Stainless steel  
**Heel** TCX light  
**Color** Black  
**Weight/pc.** 990 g  
**Order No.** 6762V1.MB (100 mm) (with plate)  
 6762V1.MA (90 mm) (with plate)





**BRAKES**



|                      |   |  |         |                  |                        |  |
|----------------------|---|--|---------|------------------|------------------------|--|
| <b>Terrain</b>       | Brake Royal<br>Freeride   | Brake Universal<br>Freeride  | Race    | Race             | Performance            | Brake Compact flat<br>Freeride                         |
| <b>Compatible w/</b> | Duke, Jester, Tour  | Duke, Jester brake   | TCX     | Race 10 & Race 8 | 11.0 FLAT<br>12.0 FLAT | Free Ten, 10.0 Free                                    |
| <b>Brake width</b>   | 136 mm (C1)<br>120 mm (C1)<br>110 mm (C1 + C2)                            | 85 mm (C1)<br>90 mm (C1 + C2)<br>100 mm (C1)                       | 85 mm   | 85 mm            | 90; 110 mm             | 80; 85; 100 mm   |
| <b>Color</b>         | Black (C1)<br>White (C2)  | Black (C1)<br>White (C2)   | Black   | Black            | Black                  | Black  |
| <b>Order No.</b>     | W015O1B (136)<br>W026O1B (120)<br>W016G1B (110)(C1)<br>W012Q1B (110) (C2) | W018M1B (85)<br>W017G1B (90)<br>W019O1B (90) (C2)<br>W027T1B (100) | W006O1B | W023H1B          | W009F1B<br>W005F1B     | W020G1B (80 mm)<br>W021K1B (85 mm)<br>W004L1B (100 mm) |

**BRAKES**




|                    |  |         |  |                                     |  |                                  |
|--------------------|--|---------|--|-------------------------------------|--|----------------------------------|
| <b>Compatible</b>  | Tour + Compact   | RTL     | 7.0 & 4.5 & FDT  | KINGPIN                             | MARKER ALPINIST                                | Marker Alpinist Demo+Long travel |
| <b>Brake width</b> | 80 mm,<br>85 mm  | 70 mm   | 70 mm (C1 + C2)<br>85 mm (C1)                            | 75 - 100 mm (1)<br>100 - 125 mm (2) | 90 mm<br>105 mm<br>115 mm                      | 90 mm<br>105 mm                  |
| <b>Color</b>       | Black (C1)<br>White (C2)                                 | Black   | Black (C1)<br>White (C2)                                 | Black                               | Black  | Black                            |
| <b>Order No.</b>   | W024K1B (85, C1)<br>W022N1B (80, C1)<br>W025O1B (80, C2) | W014S1B | W007R1B (70, C1)<br>W008R1B (70, C2)<br>W009R1B (85, C1) | W010S1B (1)<br>W011S1B (2)          | W031W1B (90)<br>W032W1B (105)<br>W033W1B (115) | W034W1B (90)<br>W035W1B (105)    |

**BRAKES**



|                  |               |               |
|------------------|---------------|---------------|
| <b>Product</b>   | Brake Duke PT | Brake Duke PT |
| <b>Size</b>      | 100 mm        | 125 mm        |
| <b>Ski width</b> | 75-100mm      | 100 - 125mm   |
| <b>Order No.</b> | W028U1B       | W029U1B       |

**CRAMPONS**



|                  |                          |                          |                          |                          |
|------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| <b>Product</b>   | Crampon Kingpin/Alpinist | Crampon Kingpin/Alpinist | Crampon Kingpin/Alpinist | Crampon Kingpin/Alpinist |
| <b>Size</b>      | 80 mm                    | 90 mm                    | 105 mm                   | 120 mm                   |
| <b>Ski width</b> | 66 - 80 mm               | 75 - 90 mm               | 90 - 105 mm              | 105 - 120 mm             |
| <b>Order No.</b> | H005S1A                  | H001P1P                  | H002P1P                  | H003P1P                  |



|                    |         |            |             |              |                 |                 |
|--------------------|---------|------------|-------------|--------------|-----------------|-----------------|
| <b>Product</b>     | Crampon | Crampon    | Crampon     | Crampon      | Crampon Duke PT | Crampon Duke PT |
| <b>Brake width</b> | 82 mm   | 92 mm      | 105 mm      | 120 mm       | 105 mm          | 125 mm          |
| <b>Ski width</b>   | < 74 mm | 74 - 84 mm | 90 - 105 mm | 106 - 120 mm | 90-105 mm       | 105-125 mm      |
| <b>Order No.</b>   | H003K1A | H001M1A    | H002N1A     | H004M1A      | H006U1R         | H007U1R         |

**KINGPIN / TOURING ACCESSORIES**



|                   |                         |  |                                  |
|-------------------|-------------------------|--|----------------------------------|
| <b>Product</b>    | KINGPIN<br>AFD Platform | DIN adapter  | Touring leash<br>MARKER ALPINIST |
| <b>Compatible</b> |                         | Dynafit TLT 5/6, Dynafit TLT<br>Speedfit, ARC TERYX Procline,<br>Salomon S/LAB X-ALP |                                  |
| <b>Order No.</b>  | W012P1B                 | A001Q1D  | L002S1A                          |

**MARKER ALPINIST ACCESSORIES**



|                  |                                  |  |
|------------------|----------------------------------|--|
| <b>Product</b>   | MARKER ALPINIST<br>Heel platform | MARKER ALPINIST U - bow                                |
| <b>Order No.</b> | A001S1W                          | A001S1US (Soft), A001S1UM<br>(Medium), A001S1UH (Hard) |

**MARKER ACCESSORIES**



|                  |                                      |                                     |  |   |                                       |                                 |
|------------------|--------------------------------------|-------------------------------------|--|---|---------------------------------------|---------------------------------|
| <b>Product</b>   | Marker gauge drill<br>Ø 8 mm (45 mm) | Marker screw driver<br>Pozidrive #3 | Marker power bit<br>150 mm<br>FEIN (Pozidrive) | Marker power bit<br>150 mm<br>SBD (Pozidrive) | Marker binding drill bit<br>4.1 x 9.5 | Marker allen key<br>Ball end #5 |
| <b>Order No.</b> | 2541                                 | 2544                                | 2547   | 2548  | 2552                                  | 2565                            |



|                  |                             |                             |                          |                        |                        |                          |  |
|------------------|-----------------------------|-----------------------------|--------------------------|------------------------|------------------------|--------------------------|--|
| <b>Product</b>   | Marker binding<br>drill bit | Marker binding<br>drill bit | Marker trap-In<br>insert | Marker binding<br>glue | Marker screw<br>driver | Marker silicone<br>spray | Mounting Tool<br>Adapter Wide Skis<br>148 mm |
| <b>Size</b>      | 3.6 x 7.5                   | 3.6 x 9.5                   | PA 6 (100 pcs)           | 100 ml                 | Slotted #5.5           | 300 ml                   |  |
| <b>Order No.</b> | 2637                        | 2639                        | 2653                     | 2660                   | 2661                   | 2662                     | W001J1A                                      |

**INSTALLATION TOOLS**

| Order No. | Installation tool compatible with                              | Size        |
|-----------|--|-------------|
| W001G1T   | Instal. Tool; Jester, Griffon, Squire, Race line, 12.0 – 10.0; | 61 - 117 mm |
| W012J1T   | Instal. Tool; Jester, Griffon, Squire, Race line, 12.0 – 10.0; | 95 - 150 mm |
| W010G1T   | Instal. Tool; Tour S & L;                                      | 61 - 117 mm |
| W011J1T   | Instal. Tool; Tour S & L;                                      | 95 - 150 mm |
| W006M1T   | Instal. Tool; Duke / Baron / Tour EPF S & L;                   | 95 - 150 mm |
| W002O1T   | Instal. Tool; World Cup plate; Junior Race interface 2;        | 61 - 117 mm |
| W016V1T   | Instal. Tool; World Cup plate; Junior Race Pivot & short;      | 61 - 117 mm |
| W005S1T   | Instal. Tool; ALU PRO plate;                                   | 61 - 117 mm |
| W003H1T   | Instal. Tool Fastrak + FDT Junior;                             | 61 - 117 mm |
| W007H1T   | Instal. Tool; 7.0, 4.5 + Jr. RTL                               |             |
| W009P1T   | Instal. Tool; Jester Demo & Xcell Demo & FDT;                  | 61 - 117 mm |
| W004Q1T   | Instal. Tool; Jester Demo & Xcell Demo & FDT;                  | 95 - 150 mm |
| W017V1T   | Instal. Tool; Griffon & Squire D, FDT & FDT Junior;            | 61 - 117 mm |
| W008T1T   | Instal. Tool; Kingpin & MWorks & Alpinist;                     | 70 - 126 mm |
| W014U1T   | Instal. Tool; Duke PT;   | 70 - 126 mm |
| W015V1T   | Instal. Tool; PIN Demo;  | 70 - 126 mm |



### FREERIDE/FREESTYLE (ROYAL FAMILY)

|   |  |  |                                  |  |  |  |
|---|--|--|----------------------------------|--|--|--|
|   |  |  |                                  |  |  |  |
| <b>Duke PT 16</b>                                   | <b>Duke PT 12</b>                        | <b>Baron EPF 13</b>                                | <b>Jester 18 Pro ID</b>          | <b>Jester 16 ID</b>                              | <b>Griffon 13 ID</b>                             | <b>Griffon 13 ID</b>                             |
| Size/brake width<br>100 mm<br>125 mm                | 100 mm<br>125 mm                         | S 265 -325; 100, 110 mm<br>L 305 - 365;100, 110 mm | 90 mm, 110 mm<br>120 mm          | 90 mm, 100 mm,<br>110 mm, 120 mm                 | 90 mm, 100 mm,<br>110 mm, 120 mm                 | 90 mm, 100 mm,<br>110 mm, 120 mm                 |
| DIN range<br>6.0 - 16.0                             | 4.0 - 12.0                               | 4.0 - 13.0   | 8.0 - 18.0                       | 6.0 - 16.0                                       | 4.0 - 13.0                                       | 4.0 - 13.0                                       |
| Color<br>Black - Gunmetal                           | Black - Red                              | Black  | Tan                              | Black-Gray                                       | Black  | White  |
| Order No.<br>7650U1ES (100 mm)<br>7650U1EB (125 mm) | 7550U1.EB (125 mm)<br>7550U1.ES (100 mm) | 7516U1.LS<br>7516U1.SS<br>7516U1.LA<br>7516U1.SA   | 7924W1JS<br>7924W1JV<br>7924W1JB | 7524U1.GA<br>7524U1.GB<br>7524U1.GC<br>7524U1.GD | 7524U1.GA<br>7524U1.GB<br>7524U1.GC<br>7524U1.GD | 7524U1.GE<br>7524U1.GF<br>7524U1.GP<br>7524U1.GR |

### JUNIOR

|   |   |   |
|---|---|---|
|   |   |   |
| <b>FREE 7</b>                               | <b>7.0</b>  | <b>4.5</b>  |
| Size<br>95 mm                               | 70 mm<br>85 mm  | 70 mm<br>85 mm  |
| Brake width<br>95 mm                        | 70 mm<br>85 mm  | 70 mm<br>85 mm  |
| DIN range<br>2.0 - 7.0                      | 2.0 - 7.0   | 0.75 - 4.5  |
| Color<br>Black (C1)<br>White - Silver (C2)  | Black - Anthracite (C1)<br>White (C2)                                   | Black - Anthracite (C1)<br>White (C2)                                   |
| Order No.<br>6224U1MS (C1)<br>6224U1MW (C2) | 6220T1MA (C1 - 70 mm)<br>6220T1MB (C2 - 70 mm)<br>6220U1MC (C2 - 85 mm) | 6120T1MA (C1 - 70 mm)<br>6120T1MB (C2 - 70 mm)<br>6120T1MC (C1 - 85 mm) |

### RACE

|                          |                 |                 |                 |                    |                 |                      |
|--------------------------|-----------------|-----------------|-----------------|--------------------|-----------------|----------------------|
|                          |                 |                 |                 |                    |                 |                      |
| <b>Xcomp 24</b>          | <b>Xcomp 18</b> | <b>Xcomp 16</b> | <b>Xcomp 12</b> | <b>Race 10 TCX</b> | <b>Race 10</b>  | <b>Race Junior 8</b> |
| DIN range<br>12.0 - 24.0 | 8.0 - 18.0      | 6.0 - 16.0      | 4.0 - 12.0      | 3.0 - 10.0         | 3.0 - 10.0      | 2.0 - 8.0            |
| Color<br>Black - Flo-red | Black - Flo-red | Black - Flo-red | Black - Flo-red | Black - Flo-red    | Black - Flo-red | Black - Flo-red      |
| Order No.<br>7130U1MX    | 7120U1MX        | 6920U1MS        | 6820U1MS        | 6520U1MT           | 6520U1MS        | 6320U1MS             |

### TOUR

|   |  |                             |                             |                             |                        |                        |
|---|--|-----------------------------|-----------------------------|-----------------------------|------------------------|------------------------|
|   |  |                             |                             |                             |                        |                        |
| <b>F12 Tour EPF</b>   | <b>F10 Tour</b>  | <b>KINGPIN M-WERKS 12</b>   | <b>KINGPIN 10</b>           | <b>KINGPIN 13</b>           | <b>KINGPIN 10 DEMO</b> | <b>KINGPIN 13 DEMO</b> |
| Size/brake width<br>S 265 - 325 mm<br>L 305 - 365 mm<br>100, 110 mm                           | S 265 - 325 mm<br>L 305 - 365 mm<br>90, 100 mm                             | 75 - 100 mm<br>100 - 125 mm | 75 - 100 mm<br>100 - 125 mm | 75 - 100 mm<br>100 - 125 mm | 75 - 100 mm            | 100 - 125 mm           |
| DIN range<br>4.0 - 12.0   | 3.0 - 10.0   | 5.0 - 12.0                  | 5.0 - 10.0                  | 6.0 - 13.0                  | 5.0 - 10.0             | 6.0 - 13.0             |
| Color<br>Black - Anthracite   | Black - White  | Black - Red                 | Black - Red                 | Black - Red                 | Black - Red            | Black - Red            |
| Order No.<br>7816W1SS (100 mm)<br>7816W1LS (100 mm)<br>7816W1SE (110 mm)<br>7816W1LE (110 mm) | 7716W1TC (90mm)<br>7716W1TD (90mm)<br>7716W1TS (100mm)<br>7716W1TL (100mm) | 7831W1CS<br>7831W1CW        | 7733W1MA<br>7733W1MB        | 7933W1MA<br>7933W1MB        | 7734W1MA               | 7934W1MB               |

### RENTAL / DEMO

|                             |                    |                                      |                                      |                    |                    |
|-----------------------------|--------------------|--------------------------------------|--------------------------------------|--------------------|--------------------|
|                             |                    |                                      |                                      |                    |                    |
| <b>FDT TPX 12</b>           | <b>FDT TP 10</b>   | <b>FDT 7.0</b>                       | <b>FDT 4.5</b>                       | <b>7.0 RTL</b>     | <b>4.5 RTL</b>     |
| Size<br>90 mm               | 80 mm              | L 235 - 330<br>70 mm<br>85 mm        | S 190 - 285<br>70 mm<br>85 mm        | 70 mm              | 70 mm              |
| Brake width<br>90 mm        | 80 mm              | 70 mm<br>85 mm                       | 70 mm<br>85 mm                       | 70 mm              | 70 mm              |
| DIN range<br>4.0 - 12.0     | 3.0 - 10.0         | 2.0 - 7.0                            | 0.75 - 4.5                           | 2.0 - 7.0          | 0.75 - 4.5         |
| Color<br>Black - Anthracite | Black - Anthracite | Black - Anthracite                   | Black - Anthracite                   | Black - Anthracite | Black - Anthracite |
| Order No.<br>6862U1MCS      | 6562W1MCS          | 6263W1MA (70 mm)<br>6263W1MC (85 mm) | 6163W1MA (70 mm)<br>6163W1MC (85 mm) | 6220T1MR           | 6120T1MR           |

|   |                                     |  |                                       |                                       |                                     |                               |
|---|-------------------------------------|--|---------------------------------------|---------------------------------------|-------------------------------------|-------------------------------|
|   |                                     |  |                                       |                                       |                                     |                               |
| <b>MARKER ALPINIST 12</b>                               | <b>MARKER ALPINIST 10</b>           | <b>MARKER ALPINIST 8</b>   | <b>MARKER ALPINIST 12 LONG TRAVEL</b> | <b>MARKER ALPINIST 10 LONG TRAVEL</b> | <b>MARKER ALPINIST DEMO 10</b>      | <b>MARKER ALPINIST DEMO 8</b> |
| Size/brake width<br>90 mm, 105 mm,<br>115 mm (optional) | 90 mm, 105 mm,<br>115 mm (optional) | 90 mm, 105 mm,<br>115 mm (optional)  | 90; 105 mm (optional)                 | 90; 105 mm (optional)                 | 90; 105 mm                          | 90 mm                         |
| DIN range<br>6.0 - 12.0                                 | 4.0 - 10.0                          | 3.0 - 8.0  | 6.0 - 12.0                            | 4.0 - 10.0                            | 4.0 - 10.0                          | 3.0 - 8.0                     |
| Color<br>Black  | Black                               | Black (C1)<br>Black - Purple (C2)  | Black                                 | Black                                 | Black                               | Black                         |
| Order No.<br>7833W1MS<br>7832W1MS (90mm)                | 7733W1MS<br>7732W1MS (90mm)         | 7433W1MV (C2)<br>7432W1MV (C2; 90mm)<br>7433W1MS (C1)<br>7432W1MS (C1; 90mm) | 7834W1ML                              | 7734W1ML                              | 7735W1MS (90MM)<br>7735W1MW (105MM) | 7435W1MS                      |

|   |  |   |
|---|--|---|
|   |  |   |
| <b>Griffon 13 D</b>   | <b>Griffon 13 TCX D</b>  | <b>Squire 11 TCX D</b>  |
| Brake width<br>90; 100; 110 mm  | 90; 100; 110 mm  | 90; 100 mm  |
| DIN range<br>4.0 - 13.0   | 4.0 - 13.0   | 3.0 - 11.0  |
| Color<br>Black  | Black  | Black   |
| Order No.<br>7520U1.GA (90 mm) (with plate)<br>7520U1.GD (100 mm) (with plate)<br>7520U1.GB (110 mm) (with plate) | 6862U1.GA (90 mm) (with plate)<br>6862U1.GD (100 mm) (with plate)<br>6862U1.GB (110 mm) (with plate) | 6762V1.MB (100 mm) (with plate)<br>6762V1.MA (90 mm) (with plate) |

### XCOMP FLAT (GRIPWALK)

### PISTE / ALL MOUNTAIN

|                           |                          |                    |  |                    |
|---------------------------|--------------------------|--------------------|--|--------------------|
|                           |                          |                    |  |                    |
| <b>XCOMP 16 GW BLACK</b>  | <b>XCOMP 12 GW BLACK</b> | <b>12.0 TPX</b>    | <b>11.0 TP</b>   | <b>10.0 TP</b>     |
| Size/brake width<br>90 mm | 90 mm                    | 90 mm              | 90; 110 mm   | 85 mm              |
| DIN range<br>6.0 - 16.0   | 4.0 - 12.0               | 4.0 - 12.0         | 3.0 - 11.0   | 3.0 - 10.0         |
| Color<br>Black            | Black                    | Black - Anthracite | Black - Anthracite (C1)<br>White (C2)  | Black - Anthracite |
| Order No.<br>6920U1.MB    | 6820U1.MB                | 6820T1.MA          | 6720T1.MA (C1 - 90 mm)<br>6720S1.MB (C2 - 90 mm)<br>6720T1.MC (C1 - 110 mm)<br>6720S1.MD (C2 - 110 mm) | 6520T1.MA          |

### INTERFACE

|  |   |  |  |                                      |                      |
|--|---|--|--|--------------------------------------|----------------------|
|  |   |  |  |                                      |                      |
| <b>FDT Q6 plate; bulk</b>                            | <b>FDT High Performance plate; bulk</b> | <b>FDT Q6 Junior plate large; bulk</b> | <b>FDT Q6 Junior plate small; bulk</b> | <b>World Cup PC Interface</b>        | <b>ALU PRO plate</b> |
| Size<br>Black  | Black                                   | Large 235 - 330 mm<br>Black            | Small 190 - 285 mm<br>Black            | 10; 14 mm<br>Black                   | 10 mm<br>Silver      |
| Order No.<br>2065W1MA (25 pair)<br>2064W1MA (5 pair) | 2064U1MP (5 pair)                       | 2075W1SL (5 pair)                      | 2075W1SS (5 pair)                      | 2020R1SS (10 mm)<br>2022R1SS (14 mm) | 2030S1MP             |



# HELMETS

2022/23



## PHOENIX2 MIPs

- Construction** Hybrid
- Ventilation** MarkAIR Channel System  
2 Position Climate Control
- Protection** MAP  
Mips  
Top Shell Protection: ABS  
Side Shell Protection: PC  
360° Edge Protection
- Fitting** RTS 360° Fit  
Fidlock OG Snap
- Comfort** Customizable/Removable SoGnar Earpad & Liner  
Includes 2 Liner sets  
- Normal X-Dry  
- Fleece X-Dry

**Goggle Clip** V-Stretch

| Sizing                    | Small | Medium | Large |
|---------------------------|-------|--------|-------|
| <b>Circumference (cm)</b> | 51-55 | 55-59  | 59-63 |
| <b>Weight (+/-5%)</b>     | 570 g | 600 g  | 670 g |



Black  
141201.01



Black/Teal Blue/Red  
141201.03



White  
141201.02



## PHOENIX2 M-WERKS

- Construction** Hybrid
- Ventilation** MarkAIR Channel System  
2 Position Climate Control
- Protection** MAP  
Mips  
Top Shell Protection: Carbon  
Side Shell Protection: PC  
360° Edge Protection
- Fitting** RTS 360° Fit  
Fidlock OG Snap
- Comfort** Customizable/Removable SoGnar Earpad & Liner  
Includes 2 Liner sets  
- Normal X-Dry  
- Fleece X-Dry

**Goggle Clip** V-Stretch

| Sizing                    | Small | Medium | Large |
|---------------------------|-------|--------|-------|
| <b>Circumference (cm)</b> | 51-55 | 55-59  | 59-63 |
| <b>Weight (+/-5%)</b>     | 560 g | 559 g  | 625 g |



Black  
141200.01



## PHOENIX2

- Construction** Hybrid
- Ventilation** MarkAIR Channel System  
2 Position Climate Control
- Protection** MAP  
Top Shell Protection: ABS  
Side Shell Protection: PC  
360° Edge Protection
- Fitting** RTS 360° Fit  
Fidlock OG Snap
- Comfort** Customizable/Removable SoGnar Earpad & Liner  
Includes 2 Liner sets  
- Normal X-Dry  
- Fleece X-Dry

**Goggle Clip** V-Stretch

| Sizing                    | Small | Medium | Large |
|---------------------------|-------|--------|-------|
| <b>Circumference (cm)</b> | 51-55 | 55-59  | 59-63 |
| <b>Weight (+/-5%)</b>     | 531 g | 560 g  | 626 g |



Black/Sand  
141202.01



White/Sand  
141202.02





Mips



### AMPIRE 2 MIPS

- Construction** Hybrid
- Ventilation** MarkAIR Channel System  
2 Position Climate Control
- Protection** Mips  
Top Shell Protection: ABS  
Side Shell Protection: PC  
360° Edge Protection
- Fitting** RTS 360° Fit  
Fidlock OG Snap
- Comfort** Customizable/Removable SoGnar Earpad & Liner  
Includes 2 Liner sets  
- Normal X-Dry  
- Fleece X-Dry
- Goggle Clip** V-Stretch

| Sizing             | Small | Medium | Large |
|--------------------|-------|--------|-------|
| Circumference (cm) | 51-55 | 55-59  | 59-63 |
| Weight (+/-5%)     | 570 g | 612 g  | 678 g |



Black  
141203.01



White  
141203.02



Red/Teal Blue  
141203.03



Grey/Green  
141203.04



### COMPANION +

- Construction** In-Mould
- Ventilation** MarkAIR Channel System  
2 Position Climate Control
- Protection** 270° Edge Protection
- Fitting** RTS 360° Fit  
Xdry Liner  
Xdry Fleece Liner (w)  
Fidlock OG Snap
- Earpads** Removable & Audio Ready
- Goggle Clip** Stretch Clip

| Sizing             | Small | Medium | Large |
|--------------------|-------|--------|-------|
| Circumference (cm) | 51-55 | 55-59  | 59-63 |
| Weight (+/-5%)     | 440 g | 450 g  | 510 g |



Blue  
142205.01



Black  
141205.01



Grey  
141205.02



White  
141205.03

FLEECE LINER



### AMPIRE 2

- Construction** Hybrid
- Ventilation** MarkAIR Channel System  
2 Position Climate Control
- Protection** Top Shell Protection: ABS  
Side Shell Protection: PC  
360° Edge Protection
- Fitting** RTS 360° Fit  
Fidlock OG Snap
- Comfort** Customizable/Removable SoGnar Earpad & Liner  
Includes 2 Liner sets  
- Normal X-Dry  
- Fleece X-Dry
- Goggle Clip** V-Stretch

| Sizing             | Small | Medium | Large |
|--------------------|-------|--------|-------|
| Circumference (cm) | 51-55 | 55-59  | 59-63 |
| Weight (+/-5%)     | 532 g | 575 g  | 631 g |



Black  
141204.01



White  
141204.02



### COMPANION

- Construction** Double In-Mould
- Ventilation** MarkAIR Channel System  
2 Position Climate Control
- Protection** 270° Edge Protection
- Fitting** RTS Fit System  
Buckle Standard  
Xdry Liner  
Xdry Fleece Liner
- Earpads** Removable & Audio Ready
- Goggle Clip** Stretch Clip

| Sizing             | Small | Medium | Large |
|--------------------|-------|--------|-------|
| Circumference (cm) | 51-55 | 55-59  | 59-63 |
| Weight (+/-5%)     | 410 g | 439 g  | 487 g |



Black  
168408.15



Grey  
168408.10



White (W)  
168409.00

FLEECE LINER





Mips



**NEW** CONFIDANT MIPS

- Construction** In-Mold
- Ventilation** MarkAIR Channel System  
AIR JAM Climate Control
- Protection** Mips  
PC  
360° Edge Protection
- Fitting** RTS 360° Fit  
Buckle Standard
- Comfort** Removable SoGnar Earpad & Liner  
Normal X-Dry
- Goggle Clip** V-Stretch

| Sizing             | Small | Medium | Large |
|--------------------|-------|--------|-------|
| Circumference (cm) | 51-55 | 55-59  | 59-63 |
| Weight (+/-5%)     | 458 g | 431 g  | 535 g |



Black/Grey  
142209.01



Dark Blue/Grey  
142209.03



Light Blue/Green  
142209.05



Light Green/Black  
142209.04



White/Grey  
142209.02



**CLARK**

- Construction** Triple In-Mould
- Ventilation** MarkAIR Channel System  
AIR JAM Climate Control
- Protection** 360° Edge Protection
- Fitting** RTS Fit System  
FidLock OG Snap  
Beanie Ready
- Comfort** Xdry Liner  
Removable & Audio Ready
- Goggle Clip** Claw

| Sizing             | Small | Medium | Large |
|--------------------|-------|--------|-------|
| Circumference (cm) | 51-55 | 55-59  | 59-63 |
| Weight (+/-5%)     | 372 g | 398 g  | 429 g |



Blue/Light Blue  
142206.01



Black  
168410.17



Grey  
141206.01



**NEW** CONFIDANT

- Construction** In-Mold
- Ventilation** MarkAIR Channel System  
AIR JAM Climate Control
- Protection** PC  
360° Edge Protection
- Fitting** RTS 360° Fit  
Standart Buckle
- Comfort** Removable SoGnar Earpad & Liner  
Xdry Liner
- Goggle Clip** Stretch Clip

| Sizing             | Small | Medium | Large |
|--------------------|-------|--------|-------|
| Circumference (cm) | 51-55 | 55-59  | 59-63 |
| Weight (+/-5%)     | 426 g | 399 g  | 498 g |



Black/Grey  
142210.01



Dark Blue/Grey  
142210.03



Light Green/Black  
142210.04



White/Grey  
142210.02



**SQUAD**

- Construction** ABS Hardshell
- Ventilation** MarkAIR Channel System  
AIR JAM CLIMATE CONTROL
- Fitting** RTS Fit System  
FidLock OG Snap
- Comfort** SQUAD - Removable & Audio Ready  
Xdry Liner  
Xdry Fleece Liner ♀
- Goggle Clip** Claw

| Sizing             | Small | Medium | Large |
|--------------------|-------|--------|-------|
| Circumference (cm) | 51-55 | 55-59  | 59-63 |
| Weight (+/-5%)     | 447 g | 500 g  | 546 g |



Light Green  
142207.01



White  
169915.00



Black  
169915.15



MDV Colors  
141207.01



Coral  
140223.63

FLEECE LINER

Junior



### SQUAD JR

|                           |   |       |
|---------------------------|---|-------|
| <b>Construction</b>       | ABS Hardshell                                     |       |
| <b>Ventilation</b>        | MarkAIR Channel System<br>AIR JAM CLIMATE CONTROL |       |
| <b>Fitting</b>            | RTS Fit System<br>Standart Buckle                 |       |
| <b>Comfort</b>            | FIXED Earpads<br>Xdry Lining                      |       |
| <b>Goggle Clip</b>        | Claw  |       |
| <b>Sizing</b>             | OO  | O     |
| <b>Circumference (cm)</b> | 47-51   | 51-56 |
| <b>Weight (+/-5%)</b>     | 500 g   | 480 g |




Junior



### BINO XS

|                           |  |
|---------------------------|--|
| <b>Construction</b>       | In-Mould   |
| <b>Ventilation</b>        | MarkAIR Channel System<br>AIRJAM Climate Control |
| <b>Protection</b>         | 180° Edge Protection                             |
| <b>Fitting</b>            | RTS Fit System<br>Xdry Performance Lining        |
| <b>Earpads</b>            | FIXED  |
| <b>Goggle Clip</b>        | 2 Side Clips                                     |
| <b>Sizing</b>             | XS   |
| <b>Circumference (cm)</b> | 50 - 55  |
| <b>Weight (+/-5%)</b>     | 345 g  |




Junior



### VIJO

|                           |   |       |
|---------------------------|---|-------|
| <b>Construction</b>       | ABS Hardshell                                     |       |
| <b>Ventilation</b>        | MarkAIR Channel System<br>Air Jam Climate Control |       |
| <b>Unique Feature</b>     | Integrated Lens System                            |       |
| <b>Fitting</b>            | RTS Fit System<br>Xdry Performance Lining         |       |
| <b>Earpads</b>            | Removable & Audio Ready                           |       |
| <b>Goggle Clip</b>        | -   |       |
| <b>Sizing</b>             | OO  | O     |
| <b>Circumference (cm)</b> | 47-51   | 51-56 |
| <b>Weight (+/-5%)</b>     | 550 g   | 500 g |



Junior



### BINO XXS

|                           |  |
|---------------------------|--|
| <b>Construction</b>       | In-Mould   |
| <b>Ventilation</b>        | MarkAIR Channel System<br>AIRJAM Climate Control |
| <b>Protection</b>         | 180° Edge Protection                             |
| <b>Fitting</b>            | RTS Fit System<br>Xdry Performance Lining        |
| <b>Earpads</b>            | FIXED  |
| <b>Goggle Clip</b>        | 2 Side Clips                                     |
| <b>Special Feature</b>    | Graphical Highlight (excl. Black Version)        |
| <b>Sizing</b>             | XXS  |
| <b>Circumference (cm)</b> | 45 - 49  |
| <b>Weight (+/-5%)</b>     | 350 g  |





### RENTAL FE

|                           |   |               |              |                    |
|---------------------------|---|---------------|--------------|--------------------|
| <b>Construction</b>       | ABS Hardshell<br>Anti-Scratch Deboss texture      |               |              |                    |
| <b>Ventilation</b>        | MarkAIR Channel System<br>AIR JAM Climate Control |               |              |                    |
| <b>Fitting</b>            | RTS Fit System<br>Easy Adjust Rental Buckle       |               |              |                    |
| <b>Comfort</b>            | Xdry Lining<br>FIXED Earpads                      |               |              |                    |
| <b>Goggle Clip</b>        | Snap Clip   |               |              |                    |
| <b>Sizing</b>             | <b>Small</b>                                      | <b>Medium</b> | <b>Large</b> | <b>Extra large</b> |
| <b>Circumference (cm)</b> | 51-55   | 55-59         | 59-63        | 62-65              |
| <b>Weight (+/-5%)</b>     | 480 g   | 500 g         | 560 g        | 560 g              |

#### FIXED EARPADS



Junior




### RENTAL JR

|                           |   |          |
|---------------------------|---|----------|
| <b>Construction</b>       | ABS Hardshell<br>Anti-Scratch Deboss texture      |          |
| <b>Ventilation</b>        | MarkAIR Channel System<br>AIR JAM Climate Control |          |
| <b>Fitting</b>            | RTS Fit System<br>Easy Adjust Rental Buckle       |          |
| <b>Comfort</b>            | Xdry Lining<br>FIXED Earpads                      |          |
| <b>Goggle Clip</b>        | Snap Clip   |          |
| <b>Sizing</b>             | <b>OO</b>   | <b>O</b> |
| <b>Circumference (cm)</b> | 47-51   | 51-56    |
| <b>Weight (+/-5%)</b>     | 530 g   | 510 g    |



## HELMET FEATURES OVERVIEW

|                            | Phoenix2 M-Werks<br>Phoenix2 Mips | Phoenix2     | Ampire2 Mips | Ampire2      | Companion+   | Companion    | Confitant Mips | Confitant | Clark    | Squad     | Squad Jr. | Bino XS      | Bino XXS | Rental       | Rental Jr. |
|----------------------------|-----------------------------------|--------------|--------------|--------------|--------------|--------------|----------------|-----------|----------|-----------|-----------|--------------|----------|--------------|------------|
| <b>Sizing</b>              | S/M/L                             | S/M/L        | S/M/L        | S/M/L        | S/M/L        | S/M/L        | S/M/L          | S/M/L     | S/M/L    | S/M/L     | OO/O      | XS           | XXS      | S/M/L<br>/XL | OO/O       |
| <b>Construction</b>        | Hybrid Shell                      | Hybrid Shell | Hybrid Shell | Hybrid Shell | In-Mould     | In-Mould     | In-Mould       | In-Mould  | In-Mould | Hardshell | Hardshell | In-Mould     | In-Mould | Hardshell    | Hardshell  |
| <b>Protection</b>          |                                   |              |              |              |              |              |                |           |          |           |           |              |          |              |            |
| <b>MAP</b>                 | •                                 | •            |              |              |              |              |                |           |          |           |           |              |          |              |            |
| <b>MIPs</b>                | •                                 |              | •            |              |              |              |                | •         |          |           |           |              |          |              |            |
| 360° Edge Protection       | •                                 | •            | •            | •            |              |              |                | •         | •        | •         |           |              |          |              |            |
| 270° Edge Protection       |                                   |              |              |              | •            | •            |                |           |          |           |           |              |          |              |            |
| 180° Edge Protection       |                                   | •            |              |              |              |              |                |           |          |           |           | •            | •        |              |            |
| <b>Ventilation</b>         |                                   |              |              |              |              |              |                |           |          |           |           |              |          |              |            |
| MarkAIR Channel System     | •                                 | •            | •            | •            | •            | •            | •              | •         | •        | •         | •         | •            | •        | •            | •          |
| 2 Position Climate Control | •                                 | •            | •            | •            | •            | •            |                |           |          |           |           |              |          |              |            |
| AIR JAM CLIMATE CONTROL    |                                   |              |              |              |              |              | •              | •         | •        | •         |           | •            | •        | •            | •          |
| Goggle Integration System  | •                                 | •            | •            | •            | •            | •            |                |           | •        | •         | •         |              |          |              | •          |
| <b>Fit</b>                 |                                   |              |              |              |              |              |                |           |          |           |           |              |          |              |            |
| 360° RTS Fit System        | •                                 | •            | •            | •            | •            |              | •              | •         |          |           |           |              |          |              |            |
| RTS Fit System             |                                   |              |              |              |              |              | •              |           | •        | •         |           | •            | •        | •            | •          |
| <b>Comfort</b>             |                                   |              |              |              |              |              |                |           |          |           |           |              |          |              |            |
| Normal X-Dry Liner         | •                                 | •            | •            | •            | •            | •            | •              | •         | •        | •         | •         | •            | •        | •            | •          |
| Fleece X-Dry Liner         | •                                 | •            | •            | •            | women        | women        |                |           |          |           | women     |              |          |              |            |
| SoGnar Earpads             | •                                 | •            | •            | •            |              |              |                | •         | •        |           |           |              |          |              |            |
| Removable Earpads          | •                                 | •            | •            | •            | •            | •            | •              | •         | •        |           |           |              |          |              |            |
| FE = Fixed Earpads         |                                   |              |              |              |              |              |                |           |          |           |           |              |          |              | •          |
| <b>Features</b>            |                                   |              |              |              |              |              |                |           |          |           |           |              |          |              |            |
| Fidlock OG Snap            | •                                 | •            | •            | •            | •            |              |                |           | •        | •         |           |              |          |              |            |
| Easy Adjust                |                                   |              |              |              |              |              |                |           |          |           |           |              |          |              | •          |
| Standard Buckle            |                                   |              |              |              |              |              |                | •         | •        | •         |           | •            | •        | •            |            |
| Goggle Clip                | Stretch Clip                      | Stretch Clip | Stretch Clip | Stretch Clip | Stretch Clip | Stretch Clip | V-Stretch      | V-Stretch | Claw     | Claw      | Claw      | 2 Side Claws | -        | Snap         | Snap       |
| Beanie Ready               |                                   |              |              |              | •            | •            |                |           | •        |           | •         |              |          |              |            |
| Helmet Bag                 | •                                 | •            | •            | •            | •            | •            | •              | •         | •        | •         | •         | •            | •        |              |            |
| <b>Rental Features</b>     |                                   |              |              |              |              |              |                |           |          |           |           |              |          |              |            |
| Integrated Rental Surface  |                                   |              |              |              |              |              |                |           |          |           |           |              |          |              | •          |
| Barcode Area               |                                   |              |              |              |              |              |                |           |          |           |           |              |          |              | •          |





# GOGGLES

2022/23



**+PLUS SERIES**

**NEW POSSE MAGNET+**

- Fit** Medium Fit
- Ventilation** MarkAIR Vent System
- Lens construction** Cylindrical
- Lens** Magnetic lens incl. magnetic spare part lens  
NMT+ OPTICS (3rd Eyelid)  
100% UV A/B/C Technology  
Also available with polarized lenses
- Features** Xdry TRIPLE LAYER FACE FOAM  
Superfit frame design  
45 mm goggle strap with silicon anti-slip coating  
100% compatibility with helmet  
Neoprene box plus microfiber bag  
Additional lens
- Certification** CE EN 174:2001, optical Class 1



Black  
Black Light HD  
142301.01.11.2



Black  
Red Plasma Mirror  
142301.02.02.2



White  
Gold Mirror CS  
142301.03.08.2




**+PLUS SERIES**

## SQUADRON MAGNET +

- Fit** Large Fit
- Ventilation** MarkAIR Vent System
- Lens construction** Cylindrical
- Lens** Magnetic lens incl. magnetic spare part lens  
NMT OPTICS (3rd Eyelid)  
100% UV A/B/C Technology  
Also available with polarized lenses
- Features** Xdry TRIPLE LAYER FACE FOAM  
Superfit frame design  
45 mm goggle strap with silicon anti-slip coating  
100% compatibility with helmet  
Neoprene box plus microfiber bag  
Additional lens
- Certification** CE EN 174:2001, optical Class 1

**Ragetti Edition**




White  
Steel Blue Mirror CS  
142309.04.09.3



Black  
Black light HD  
142309.02.11.3



Black  
Red Plasma Mirror  
142309.01.02.3



Black  
Gold Mirror CS  
142309.03.08.3



**+PLUS SERIES**

## 16:10+

- Fit** Large Fit
- Ventilation** MarkAIR Vent System
- Lens construction** Spherical
- Lens** NMT OPTICS (3rd Eyelid)  
100% UV A/B/C Technology  
Also available with polarized lenses
- Features** OTG (over the glasses)  
Xdry TRIPLE LAYER FACE FOAM  
Superfit frame design  
45 mm goggle strap with silicon anti-slip coating  
100% compatibility with helmet  
Neoprene box plus microfiber bag  
Additional lens
- Certification** CE EN 174:2001, optical Class 1



Black  
Black light HD  
142302.02.11.3




Black  
Green plasma mirror  
142302.03.04.3



Blue  
Green plasma mirror  
142302.04.04.3



Fuchsia  
Pink plasma mirror  
142302.05.05.3



White  
Blue HD Mirror  
142302.01.12.3



White  
Gold Mirror CS  
142302.06.08.3



White  
Gold Mirror CS  
142302.07.08.3



**+PLUS  
SERIES**

**PERSPECTIVE+**



- Fit** Large Fit
- Ventilation** MarkAIR Vent System
- Lens construction** Spherical
- Lens** NMT OPTICS (3rd Eyelid)  
DUAL BIONOMIC spherical lens  
100% UV A/B/C Technology  
Also available with polarized lenses
- Features** Xdry TRIPLE LAYER FACE FOAM  
Superfit frame design  
45 mm goggle strap with silicon anti-slip coating  
100% compatibility with helmet  
Neoprene box plus
- Certification** CE EN 174:2001, optical Class 1



Black  
GOLD Mirror CS  
142303.02.08.3



White  
Pink plasma mirror  
169355.02.05.3



Grey / Green  
Red plasma Mirror  
142303.03.02.3



Black  
Green plasma Mirror  
142303.01.04.3



**PERSPECTIVE**

- Fit** Large Fit
- Ventilation** MarkAIR Vent System
- Lens construction** Spherical
- Lens** NMT OPTICS (3rd Eyelid)  
100% UV A/B/C Technology
- Features** Xdry TRIPLE LAYER FACE FOAM  
Superfit frame design  
45 mm goggle strap with silicon anti-slip coating  
100% compatibility with helmet  
Microfiber goggle bag
- Certification** CE EN 174:2001, optical Class 1



White  
Surround mirror  
169357.02.01.3



White  
Clarity mirror  
142305.02.03.3



Black  
GOLD Mirror CS  
142305.03.08.3



White  
Green plasma Mirror  
142305.01.04.3

**+PLUS  
SERIES**

**PROJECTOR+**



- Fit** Medium Fit
- Ventilation** MarkAIR Vent System
- Lens construction** Spherical
- Lens** NMT OPTICS (3rd Eyelid)  
100% UV A/B/C Technology  
Also available with polarized lenses
- Features** Xdry TRIPLE LAYER FACE FOAM  
Superfit frame design  
45 mm goggle strap with silicon anti-slip coating  
100% compatibility with helmet  
Neoprene box plus microfiber bag  
Additional lens
- Certification** CE EN 174:2001, optical Class 1



Fuchsia  
Pink plasma mirror  
142304.04.05.2



Black  
Gold Mirror CS  
142304.02.08.2



Black  
Green plasma mirror  
142304.03.04.2



White  
Blue HD Mirror  
142304.01.12.2



Snow  
Pink plasma mirror  
169356.02.05.2



**PROJECTOR**

- Fit** Medium Fit
- Ventilation** MarkAIR Vent System
- Lens construction** Spherical
- Lens** NMT OPTICS (3rd Eyelid)  
100% UV A/B/C Technology
- Features** Xdry TRIPLE LAYER FACE FOAM  
Superfit frame design  
45 mm goggle strap with silicon anti-slip coating  
100% compatibility with helmet  
Microfiber goggle bag
- Certification** CE EN 174:2001, optical Class 1



Black  
Clarity mirror  
142306.01.03.2



Black  
Surround mirror  
169358.15.01.2



White  
Clarity mirror  
169358.02.03.2



Junior



### SQUADRON JR

- Fit** Youth
- Ventilation** MarkAIR Vent System
- Lens construction** Spherical
- Lens** NMT OPTICS (3rd Eyelid)  
100% UV A/B/C Technology
- Features** Xdry TRIPLE LAYER FACE FOAM  
Superfit frame design  
40 mm goggle strap with silicon anti-slip coating  
Microfiber goggle bag
- Certification** CE EN 174:2001, optical Class 1



Black  
Clarity mirror  
140310.15.03.1



Black  
Red screen Mirror  
142310.01.22.1



White  
Green screen mirror  
140310.02.24.1



### NEW SMOOTH OPERATOR L

- Fit** Large Fit
- Lens construction** Cylindrical
- Lens** Super Anti-Fog Inner Lens  
NMT OPTICS (3rd Eyelid)  
100% UV A/B/C Technology
- Features** Xdry Face Foam  
Superfit frame design  
45 mm goggle strap with silicon anti-slip coating  
Curved Neoprene Case plus microfiber bag
- Certification** CE EN 174:2001, optical Class 1



Black Out  
142308.02.00.3



Gold Mirror CS  
142308.01.00.3



Green Plasma Mirror  
142308.03.00.3

Junior



### 4:3

- Fit** Youth
- Ventilation** MarkAIR Vent System
- Lens construction** Spherical
- Lens** HYDROPHOBIC COATING  
100% UV A/B/C Technology
- Features** Xdry TRIPLE LAYER FACE FOAM  
Superfit frame design  
40 mm goggle strap with silicon anti-slip coating  
100% compatibility with helmet  
Microfiber goggle bag
- Certification** CE EN 174:2001, optical Class 1



Black  
Orange clarity  
140311.15.21.1



White  
Orange clarity  
140311.02.21.1



### NEW SMOOTH OPERATOR M

- Fit** Medium Fit
- Lens construction** Cylindrical
- Lens** Super Anti-Fog Inner Lens  
NMT OPTICS (3rd Eyelid)  
100% UV A/B/C Technology
- Features** Xdry Face Foam  
Superfit frame design  
45 mm goggle strap with silicon anti-slip coating  
Curved Neoprene Case plus microfiber bag
- Certification** CE EN 174:2001, optical Class 1



Black Out  
142307.02.00.2



Gold Mirror CS  
142307.01.00.2




Green Plasma Mirror  
142307.03.00.2



### ULTRA-FLEX



- Fit** Large Fit
- Lens construction** Spherical
- Lens** Super Anti-Fog Inner Lens  
NMT+ OPTICS (3rd Eyelid)  
100% UV A/B/C Technology
- Features** Xdry Face Foam  
Superfit frame design  
40 mm goggle strap with silicon anti-slip coating  
Curved Neoprene Case plus microfiber bag
- Certification** CE EN 174:2001, optical Class 1




Gold Mirror CS  
141300.01.00.3



Blue Mirror  
141300.02.00.3


# LENSES

2022/23




#### POLARIZED

- + Reduced glare from snow
- + Greater contrast when sunny



#### CUSTOM SPECTRUM

- + Filters light Specific for Action Snow-sports
- + More contrast between white, blue, and grey tones





|   | Category  |           |          |    |
|---|-----------|-----------|----------|----|
|   | S1        | S2        | S3       | S4 |
| <b>Black Light HD</b><br>VLT*: 20%<br>Cat.: S2<br>Polarized |           |           |          |    |
| <b>Blue HD Mirror</b><br>VLT*: 11%<br>Cat.: S3<br>Polarized |           |           |          |    |
| <b>Gold Mirror CS</b><br>VLT*: 12%<br>Cat.: S3              |           |           |          |    |
| <b>Surround Mirror</b><br>VLT*: 35%<br>Cat.: S2             |           |           |          |    |
| <b>Pink Plasma Mirror</b><br>VLT*: 11%<br>Cat.: S3          |           |           |          |    |
| <b>Red Plasma Mirror</b><br>VLT*: 25%<br>Cat.: S2           |           |           |          |    |
| <b>Green Plasma Mirror</b><br>VLT*: 25%<br>Cat.: S2         |           |           |          |    |
| <b>Clarity Mirror</b><br>VLT*: 68%<br>Cat.: S1              |           |           |          |    |
| <b>Blue Mirror</b><br>VLT*: 19%<br>Cat.: S2                 |           |           |          |    |
| <b>Clarity Mirror</b><br>VLT*: 12%<br>Cat.: S3              |           |           |          |    |
| <b>Steel Blue Mirror CS</b><br>VLT*: 15%<br>Cat.: S3        |           |           |          |    |
| <b>Shading</b>  | Slight    | Medium    | High     |    |
| <b>Translucency (VLT)</b>                                   | 80 - 43 % | 43 - 18 % | 18 - 8 % |    |







# PROTECTIVE WEAR

2022/23



Women  
1414100.01

NEW

## MAP VEST

- Protection** Full Back Protection  
6 Layer MAP Flexible Spine Contour
- Fit** Anti-Sag Kidney Belt  
Auto-Tailoring Mesh
- Breathability** MarkAIR Channel MAP Ventilation  
MarkAIR Breathable Fabric
- Sizing** Men: S, M, L, XL  
Women: S, M, L
- Certification** EN 1621-2:2014 Level 2
- Color** Black/Red, Black/Silver, Black/White
- Order No.** Men  
1414000.01  
  
Women  
1414100.01



Junior



NEW

## MAP VEST JUNIOR

- Protection** Full Back Protection  
6 Layer MAP Flexible Spine Contour
- Fit** Anti-Sag Kidney Belt  
Auto-Tailoring Mesh
- Breathability** MarkAIR Channel MAP Ventilation  
MarkAIR Breathable Fabric
- Sizing** S, L
- Certification** EN 1621-2:2014 Level 2
- Color** Black/Red, Black/Silver, Black/White
- Order No.** 1414200.01



NEW

## MAP PACK UNISEX

- Protection** Full Back Protection  
6 Layer MAP Flexible Spine Contour
- Fit** Anti-Sag Kidney Belt
- Breathability** MarkAIR Channel MAP Ventilation
- FIS Ready** Adjustable/Removable Harness Straps
- Sizing** S, M, L, XL
- Certification** EN 1621-2:2014 Level 2
- Color** Black / Red
- Order No.** 141430.01





**PHOENIX 2 M-WERKS**



Black  
141200.01

**PHOENIX 2 MIPS**



Black  
141201.01



Black/Teal/Red  
141201.03



White  
141201.02

**PHOENIX 2**



Black/Sand  
141202.01



White/Sand  
141202.02

**AMPIRE 2 MIPS**



Black  
141203.01



White  
141203.02



Red/Teal Blue  
141203.03



Grey/Green  
141203.04

**AMPIRE 2**



Black  
141204.01



White  
141204.02

**COMPANION PLUS**



Blue  
142205.01



Black  
141205.01



Grey  
141205.02



White  
141205.03

**COMPANION**



Black  
168408.15



Grey  
168408.10



White (W)  
168409.00

**CONFIDANT MIPS**



Black/Grey  
142209.01



Dark Blue/Grey  
142209.03



Light Blue/Green  
142209.05



Light Green/Black  
142209.04



White/Grey  
142209.02

**CONFIDANT**



Black/Grey  
142210.01



Dark Blue/Grey  
142210.03



Light Green/Black  
142210.04



White/Grey  
142210.02

**CLARK**



Blue/Light Blue  
142206.01



Black  
168410.17



Grey  
141206.01

**SQUAD**



Light Green  
142207.01



White  
169915.00



Black  
169915.15



MDV Colors  
141207.01



Coral  
140223.63

**SQUAD JR**



Black  
169920.15



Infrared  
169920.51



Blue  
141208.01

**VIJO**



Blue  
169922.80



Infrared  
169922.51



Pink  
169922.72

**BINO XS**



Blue  
140221.80



Pink  
140221.60



Yellow  
140221.25



Black  
140221.15

**BINO XXS**



Blue  
140221.89



Pink  
140221.69



Yellow  
140221.27



Black  
140221.15

**RENTAL**



Green  
142211.01



White  
169416.00



Black  
169416.15



Anthracite  
169416.18

**RENTAL JR**



Black  
169418.15



Red  
169418.15



Neon Yellow  
169418.26

**SQUADRON MAGNET PLUS**



White  
Steel Blue Mirror CS  
142309.04.09.3



Black  
Black light HD  
142309.02.11.3



Black  
Red Plasma Mirror  
142309.01.02.3



White  
Gold Mirror CS  
142309.03.08.3

**POSSE MAGNET PLUS**



Black  
Black Light HD  
142301.01.11.2



Black  
Red Plasma Mirror  
142301.02.02.2



White  
Gold Mirror CS  
142301.03.08.2

**16:10 PLUS**



Black  
Black light HD  
142302.02.11.3



Black  
Green plasma mirror  
142302.03.04.3



Blue  
Green plasma mirror  
142302.04.04.3



Fuchsia  
Pink plasma mirror  
142302.05.05.3



White Matt  
Blue HD Mirror  
142302.01.12.3



White Matt  
Gold Mirror CS  
142302.06.08.3



White Matt  
Gold Mirror CS  
142302.07.08.3

**PERSPECTIVE PLUS**



Black  
GOLD Mirror CS  
142303.02.08.3



White  
Pink plasma mirror  
169355.02.05.3



Grey / Green  
Red plasma Mirror  
142303.03.02.3



Black  
Green plasma Mirror  
142303.01.04.3

**PERSPECTIVE**



White  
Surround mirror  
169357.02.01.3



White  
Clarity mirror  
142305.02.03.3



Black  
GOLD Mirror CS  
142305.03.08.3



White  
Green plasma Mirror  
142305.01.04.3

**PROJECTOR PLUS**



Fuchsia  
Pink plasma mirror  
142304.04.05.2



Black  
Gold Mirror CS  
142304.02.08.2



Black  
Green plasma mirror  
142304.03.04.2



White  
Blue HD Mirror  
142304.01.12.2



White  
Pink plasma mirror  
169356.02.05.2

**PROJECTOR**



Black  
Clarity mirror  
142306.01.03.2



Black  
Surround mirror  
169358.15.01.2



White  
Clarity mirror  
169358.02.03.2

**SQUADRON JR**



Black  
Clarity mirror  
140310.15.03.1



Black  
Red screen Mirror  
142310.01.22.1



White  
Green screen mirror  
140310.02.24.1

**4:3**



Black  
Orange clarity  
140311.15.21.1



White  
Orange clarity  
140311.02.21.1

**OPERATOR L**



Black Out  
142308.02.00.3



Gold Mirror CS  
142308.01.00.3



Green Plasma Mirror  
142308.03.00.3

**OPERATOR M**



Black Out  
142307.02.00.2



Gold Mirror CS  
142307.01.00.2



Green Plasma Mirror  
142307.03.00.2

**ULTRA-FLEX**



Gold Mirror  
141300.01.00.3



Blue Mirror  
141300.02.00.3

**MAP VEST**



Men  
1414000.01



Women  
1414100.01



Youth  
1414200.01

**MAP PACK UNISEX**



Unisex  
141430.01



MARKER IS A MEMBER OF MDV SPORTS

MARKER

DALBELLO

VÖLKL

MARKER.NET

## IMPRINT

Marker Deutschland GmbH  
Dr. Gotthilf-Näher-Strasse 6  
82377 Penzberg  
Germany  
Ph: +49 (0) 8856 8000-0  
Fax: +49 (0) 8856 8000-271  
info@marker.de



**Photography:** Carlos Blanchard, Adam Clark, GEPA, Mathäus Gartner, Pally Learmond, Peter Mathis, Michael Mayer, Martin Fiala, Syo Van Vliet

**Created & produced by:** yearning.de

Marker, Marker Alpinist, Kingpin, GripWalk, X-Cell, Fastrak, Duke, Jester, Baron, Griffon, Squire, Ampire and M-Werks are registered trademarks of Marker Dalbello Völkl (International) GmbH and other marks are pending.

© 2021 by Marker. Subject to alternation